



SOLEM

CONNECTED AGRICULTURE

SUSTAINABLE IRRIGATION AUTOMATION

solem-irrigation.com

2024 EDITION



Innovation at the heart of our profession for **efficient** and **responsible irrigation**

Key figures

40 years
of experience

150
employees

50%
international sales

27
countries

+500k
on-site products


Market gardening


Horticulture


Arboriculture

FREE APP & ONLINE PLATFORM



CONTROL THE AGRICULTURAL IRRIGATION OF YOUR FIELDS WITH OUR APP


The free MySOLEM app is available on the App Store and Google Play. Is optimized with the Bluetooth® Smart V4 version available on most tablets and smartphones.



 PROFESSIONAL ACCOUNT

A PLATFORM MADE FOR PROFESSIONALS

MySOLEM CANOPY, the CLUSTER and the PRO ACCOUNT are professional features of the MySOLEM.com platform. Features include site management, site mapping, user management, etc.



MY CONNECTED CROPS

05 FUNCTIONALITIES



GATEWAYS

- 16 IRRIGATION STATION 4G Gateway & climate data
- 17 LR-BST-REACT 4G Gateway
- 17 LR-MB Indoor WiFi Gateway



CONTROLLERS

- 19 LR-AG 9V Agricultural Controller
- 20 LR-PM / RELAY 9V Controller for Master Valve or Pump



CONNECTED SENSORS

- 24 LR-MS 9V Sensor Module
- 24 LR-MS SDI12 / RS485 9V Sensor Module **NEW**
- 25 LR-MS-ECO 9V Sustainable Sensor Module **ECO RANGE**
- 26 SENSORS Individual Sensors or in Kit
- 30 LR-PR 9V Connected Pressure Sensor Kit






Your past, present & future irrigation

Manage your crop fields

CANOPY is a feature of the MySOLEM platform that allows you to manage your crop fields.


-  Define and visualize your irrigation sites
-  Give full or partial access to your maintenance teams according to your different installation groups
-  Geolocate your equipment



DASHBOARD

All your data in the blink of an eye

See at a glance how your systems are working thanks to a dedicated dashboard for each of your crop fields and check the water consumption by site or as a whole.



SUPERVISION

History & Control

-  Access historical data and real-time tracking of your irrigation.
-  Monitor the effectiveness of the irrigation with the graphical representation.
-  Verify the compliance of your hydraulic network by associating your valves and sensors.
-  Customize your monitoring interface with your own supervision tabs.

DISCOVER CANOPY!



CONSOLIDATE YOUR WATERWAYS thanks to **CLUSTER**




View all your programs in one single board

Group all your controller stations on the same primary network to form a single one:


-  View all your stations at a glance.
-  Check your overall water consumption or station by station consumption.
-  Be notified in case of under or over flow while your irrigation program is running.
-  Synchronizes automatically your master valve to avoid risks of overpressure.
-  See the impact of your water budget on your programming.

Modify your programming directly on the graph

Easily adjust or modify a station's watering time directly when needed.



MYSOLEM EVOLUTION New features for a precise irrigation




Satellite view

Visualize the evolution of your crops to guarantee the irrigation performance by obtaining satellite images every 5 days.

Evapotranspiration & solar radiation


Switch to precision irrigation by taking into account the online weather data of your area.



Looping

Program the duration of your irrigation by station (for 24h) and create an initial loop for 40 days max. Repeat this loop indefinitely. Change the starting order of your stations, add the associated flow and benefit from a larger number of programs per station.


Only available once a cluster of controllers has been created.



AUTOMATION

MYSOLEM AUTOMATION

Let your sensors control your valves



Track & export your data

Thanks to our 4G and WiFi gateways, your sensors' data will automatically upload to the MySOLEM platform. You can then follow and export your data (Excel, CGS, JSON) and adjust your programs automatically if needed.



Exploit your data to automate your irrigation

By defining min/max thresholds for your sensors, you can automate actions on your controllers via the MySOLEM platform. Irrigate at the right time, with the right volume of water.

Start and stop a main valve or a pump 

Turn on or off your modules automatically 

Alerts for exceeding thresholds
Enter thresholds to be notified when extreme values are reached.


Low threshold % High threshold %

Linked modules

Modules
Link to your I&A the modules which will be controlled by the next scenario.
Modules belonging to a cluster must be linked with care, they are managed with ign.com

Action
All the modules linked to this I&A will be affected.

Low threshold not reached	High threshold exceeded	Back between thresholds
<input type="text" value="No action"/>	<input type="text" value="No action"/>	<input type="text" value="No action"/>
<input type="text" value="No action"/> <input type="text" value="Pumpstart OFF"/> <input type="text" value="OFF - 1 day"/> <input type="text" value="OFF - 2 days"/> <input type="text" value="OFF - 3 days"/> <input type="text" value="ON"/>	<input type="button" value="Save"/>	



LONG RANGE IRRIGATION

CONTROL YOUR IRRIGATION REMOTELY WITH LORA™

AUTOMATE YOUR ENTIRE IRRIGATION SYSTEM WITH SOLEM

800m* : 25 modules

My SOLEM



Program your irrigation
using your own weather data

Automate the control of your valves
based on your sensors data



LoRa

Guarantee the proper operation of your valves

Ensure the proper operation of your pump


LR-PR

LR-PR



0-16 bars

0-16 bars



220VAC
Relai


Filtration

LR-PM

Monitor & register
your water consumption

Be immediately alerted in case of leak

Automatically synchronize the programming of your
master valve with your controllers



LR-AG

LR-MS

LR-MS

LR-AG

LR-MS

LR-MS

LR-AG

LR-MS

LR-MS

LR-MS

Use the right amount of water at the right time

LONG RANGE IRRIGATION

CONTROL YOUR IRRIGATION SYSTEM REMOTELY FROM ANYWHERE WITH LORA™

Connect your modules using LoRa™ radio technology to create remote-controlled installations. Simply deploy the SOLEM controllers in the field, without having to worry about wiring or additional power supplies.



WATER CONSUMPTION MONITORING

FREE FEATURE

Control your water consumption easily, from anywhere!

- Connect a water meter to your controllers to monitor your consumption and to detect leaks.
- Automatically stop your pump or master valve using the MySOLEM platform.
- Set up a threshold based on your needs.
- Avoid leaks and save water.





Irrigation Station

4G Gateway, centralizes your sensors, 100% self-sufficient with solar panel

3-year WARRANTY

The irrigation station is a 4G outdoor gateway communicating through its SIM card. It is 100% solar-panel autonomous and pre-equipped with four probes. It is a weather station providing climate and gateway data capable of remotely managing up to 144 stations (24 modules) via LoRa™ radio. Simply transfer your programming and settings to be alerted in real-time from anywhere! You can then group together all your sensor data for visualization.

Range to module	800* m / 875* yds	Connection	4G LoRa® Bluetooth®
Modules	up to 24	Mounting	Pole provided
Power		Control	Remote



Features

- WEATHER DATA
- PRE-WIRED PROBES
- SOLAR-POWERED
- REAL-TIME CONNECTION¹

SCAN TO VIEW PRODUCT SHEET



*Up to 800m range. It varies according to system configuration.
¹Synchronization to server every 15 minutes




LR-BST-REACT

4G Gateway to manage your modules remotely

3-year WARRANTY

The LR-BST-REACT is an outdoor 4G gateway communicating through its SIM card, remotely managing up to 25 modules. It is ideal for isolated green spaces without WiFi and/or for spaces without a power supply, given that the station can either be plugged into the mains or fully autonomous when connected directly to a solar panel. Simply transfer your programming and settings to be alerted in real-time from anywhere!

Range to module	800* m / 875* yds	Connection	4G LoRa® Bluetooth®
Modules	up to 25	Mounting	Fixings included
Power		Control	Remote



Features

- SOLAR POWER AVAILABLE
- REAL-TIME CONNECTION¹



Discover also our indoor WiFi gateway: **LR-MB**


SCAN TO VIEW PRODUCT SHEET



*Up to 800m range. It varies according to system configuration.
¹Synchronization to server every 15 minutes


FERTIGATION

MANAGE YOUR FERTIGATION with the LR-AG




Control your fertigation

The LR-AG agricultural controller allows you to manage your electrovalves and/or a fertigation pump (manual or electric) independently. It can also be programmed to automate the nutrient inputs according to your programs when used within a cluster.



CLUSTER Summary View

Using the CLUSTER feature, it is possible to quickly visualize the current programming of your entire irrigation (blue lines) and fertigation (purple line) system. You can also see how your programming impacts the flow rate of your master valve or pump.



Your program doesn't suit you? Modify it immediately by adjusting the bars directly on the graph.



800m*

LR-AG

Long Range Connected Agricultural Controller

3-year WARRANTY

The LR-AG is a waterproof, battery-powered LoRa™ irrigation controller that can control electrovalves independently. It can open up to 6 valves at the same time and it can also be programmed for simple cyclic watering.

Compatibility	9v	Connection	LoRa Bluetooth
Stations	1/2/4/6	Range to gateway	800* m / 875* yds
Power	9v	Control	Remote

Features

- WATERPROOF
- SIMULTANEOUS VALVE OPENING
- CYCLIC PROGRAMMING
- WATER CONSUMPTION CONTROL
- PRESSURE CONTROL
- VOLUMETRIC PROGRAMMING
- MILIMETRIC PROGRAMMING



SCAN TO VIEW SPECIFICATIONS



*Up to 800m range. It varies according to system configuration.



800m*

LR-PM

9V Long Range Master Valve / Pump Controller

3-year WARRANTY

The LR-PM is a battery-powered, waterproof Bluetooth® and LoRa™ watering controller capable of controlling a master valve or a pump. Paired with a WiFi or 4G gateway, it automatically synchronizes the programming of all controllers connected to the same water network (LR-AG compatible). View all your programs at a glance and optimize pump flow according to your valve programming.

Compatibility	  	Connection	 
Stations	1	Range to gateway	800* m / 875* yds
Power	9V 	Control	Remote    



RELAY

Electrical Power Relay

3-year WARRANTY

The RELAY can be used to control any type of electrical device (e.x. pump) from a 9V LoRa™ and Bluetooth® controller. The watering command from the controller opens or closes the RELAY.

Compatibility	Any type of device (up to 230-16A)	Wire connection	
Input	1	Max. distance to wire	For input 30 m / 33 yds



Features


- WATERPROOF**
- WATER CONSUMPTION CONTROL** p.15
- HYDRAULIC NETWORK SECURITY**
- PUMP IGNITION CONTROL**

SCAN TO VIEW SPECIFICATIONS



Control remotely

Control remotely thanks to a 9V LoRa™ and Bluetooth® controller (associated with a LR-MB-30 or LR-BST-REACT/25 access point).



SCAN TO VIEW SPECIFICATIONS



*Up to 800m range. It varies according to system configuration.

CONNECT ALL OF
YOUR SENSORS

OPTIMIZE YOUR CROPS
WITH THE PROPER IRRIGATION

LoRa





LR-MS

9V Sensor Module

3-year WARRANTY

The LR-MS is a battery-powered, waterproof LoRa™ sensor data acquisition module. It can connect a wide range of sensors, from weather probes (rain, humidity, anemometry and temperature) to water meters, soil moisture probes, pressure sensors, level sensors and more. Paired with a WiFi or 4G gateway, access your data from anywhere. On the MySOLEM.com platform, view and retrieve your data, and even automate your watering according to your set thresholds for each sensor. Choose the version compatible with the sensors you plan on using.

Compatibility		Connection	
Inputs	1 / 4	Distance to sensor	30 m / 33 yds
Power	9V	Control	Remote




LR-MS-ECO

9V Dual Power Sensor Module

3-year WARRANTY

The LR-MS-ECO is a battery-powered, waterproof LoRa™ sensor data acquisition module that shares the same features as the LR-MS. It also features a rechargeable battery powered by a photovoltaic panel to extend the life of the 9V battery. Paired with a WiFi or 4G gateway, access your data from anywhere.

Compatibility		Connection	
Inputs	1 / 4	Distance to sensor	30 m / 33 yds
Power	9V	Control	Remote




Features

- WATERPROOF**
- MULTI-SENSOR**
- ALERT THRESHOLDS**
- DATA EXPORT**

Extended versions

- SDI-12 PROTOCOL** NEW
- RS-485 PROTOCOL** NEW

SCAN TO VIEW SPECIFICATIONS



Features

- WATERPROOF**
- MULTI-SENSOR**
- ALERT THRESHOLDS**
- DATA EXPORT**
- EXTENDED 9V BATTERY LIFE**

SCAN TO VIEW SPECIFICATIONS



Connected Sensors

Customize the monitoring of your irrigation system



Humidity Tensiometer WATERMARK



Humidity sensor WATERSCOUT SM100 / DECAGON EC-5 & EC-10 HS




Rain gauge DAVIS



Anemometry IED ELECTRONICS ANEMO4403



Pulse water meter



Temperature sensor PT100



Pressure sensor HUBACONTROL / WIKA



HM 1500 LF



Level sensor 712 HUBACONTROL



NEW

Level Sensor





Measure and track the level of your water tank

The Type 712 level probe can be used to measure any type of tank. When connected to an LR-MS probe module associated with a gateway, it will provide data feedback and alert you according to the defined parameters.

Monitor the water level of your tanks

Measure accurately the height of your water reservoir regardless of the tank's dimensions and be notified in case your min./max. thresholds are exceeded.



How to choose your sensor module?

SCAN TO VIEW THE COMPATIBILITY BETWEEN OUR SENSOR MODULES AND PROBES

INSTALL YOUR SENSOR WITH MYSOLEM



SCAN TO VIEW SPECIFICATIONS




Tensiometry Sensor

Monitor soil water stress



Humidity Sensor

Measure soil moisture levels



Ensure the proper development of your crops


Control the depth and width development of the root system of your plants and adjust your irrigation accordingly.



Monitor your soil stress level and water intake time by positioning you sensors at different depths depending on the type of soil, plant, root system, etc.



Adapt your watering programs to provide the proper amount of water at the right time.



Optimize the amount of water to your crops


The humidity sensor ensures the proper development of your crops in multiple ways:




Maintain an optimal level of humidity: measure soil or substrate moisture levels with probes (single or multiple).



Provide the right amount of water at the right time.



SCAN TO VIEW SPECIFICATIONS



Sensor suitable for greenhouse or open field crops.

SCAN TO VIEW SPECIFICATIONS





LR-PR

Connected Pressure Sensor Module


3-year WARRANTY

The LR-PR is a kit composed of a Bluetooth® / LoRa™ acquisition module equipped with a pressure sensor. The kit transmits pressure data **from 0 to 16 bars** to the MySOLEM online platform. Once the thresholds are defined, MySOLEM will alert you in case of overpressure so you can protect your equipment. It can also automatically stop your pump to prevent any leaks or damage to your system.

Compatibility	pressure sensor 	Connection	
Input	1	Range to gateway	800* m / 875* yds
Power	9V 	Control	Remote 

Features

- WATERPROOF**
- PRESSURE CONTROL**
- HYDRAULIC NETWORK SECURITY**
- WARNING THRESHOLDS**
- DATA COLLECTION**



*The warranty covers the sensor module only.



Pressure Switch

Pressure switch for controllers





The pressure switch guarantees the proper functioning of your solenoid valves depending on the programming of your controllers. It is also helpful when analyzing technical problems in the hydraulic network. Receive an alert on your mobile phone or by e-mail in case of anomaly.

Compatibility	LR-AG/LR-PM	Wire connection	
---------------	-------------	-----------------	---

Features

- VALVE STATUS CONTROL**



Quality products & services

SOLEM is committed to provide a secure and efficient service.



APPLICATION & PLATFORM

Free and available 24/7* to manage any SOLEM product remotely.



MODULAR SYSTEM

Ability to handle an unlimited amount of products.



DATA PROTECTION

Our servers are managed by SOLEM exclusively. SOLEM guarantees that your data is secured and will never be shared with third parties.



DATA BACKUP

A backup is generated every 6 hours to limit the risk of data loss.



TECHNICAL SUPPORT

Our experts are at your service to advise you on your irrigation projects.



3-YEAR WARRANTY

All SOLEM products have a 3-year warranty (with the exception of accessories and spare parts).

Useful links



App
MySOLEM



Platform
MySOLEM.com



Website
solem-irrigation.com



E-learning platform
support.mysolem.com

*About 12 hours of maintenance per year.

LEARN BY YOURSELF VIA OUR E-LEARNING ONLINE PLATFORM!



Installation
video tutorials



MySOLEM
video tutorials




FAQ



Product
documentation

support.mysolem.com



SCAN & DISCOVER!



Request professional access

1. Go to <https://support.mysolem.com/en>.
2. Click « **Request Access** » at the upper right corner.
3. Click « **Login with MySOLEM** ».
4. **Login** via MySOLEM & fill in the form.
5. **Validation** of your access within 2 working days.



OUR PRODUCT RANGE



	Application					Communication				Power			Inputs/Outputs/ Number of stations		
	Internet gateway	Irrigation	Water meter	Pressure	Pressure switch	Sensors	Bluetooth®	WiFi	LoRa™	4G	ANTI-THEFT	9V battery		230V AC power	Solar power
Remote access, long range, battery or mains powered															
	Station d'irrigation	•				•	•		•	•	•		•	•	25 modules
	LR-BST-REACT	•					•		•	•	•		•	•	25 modules
	LR-MB-30	•					•	•	•		•		•		30 modules
	LR-AG		•	•			•		•		•	•			1-2-4-6 stations
	LR-PM		•	•			•		•		•	•			1 water meter input 1 main valve or pump output
	LR-MS			•			•		•		•	•			1 temperature-dedicated input + 3 sensor or water meter inputs
	LR-MS-ECO			•			•		•		•	•		•	1 temperature-dedicated input + 3 sensor or water meter inputs
	LR-PR				•		•		•		•	•			1 pressure sensor input

Lexicon:

BL: Bluetooth®

LR: LoRa™

MB: Mother Board

IP: 9V Battery

IS: AC power

MS: Module Sensors

PR: Pressure

AG: Agriculture

PM: Pump Management



CONTACT

To find out more about our different product ranges please contact us. Our team will be happy to help!

support@solem-irrigation.com | + 33 (0)4 67 59 99 73

commercial@solem-irrigation.com | + 33 (0)4 67 59 99 75

SOLEM is also an **expert**
in **connected solutions** for:



MUNICIPALITY



RESIDENTIAL

solem-irrigation.com



ISO 9001 certification, version 2015, for the design, industrialization, manufacturing, sale and customer care of connected electronic products

ZAE La Plaine - 5, rue Georges Besse - 34830 CLAPIERS - FRANCE

